TOWMASTER® COUNT ON IT

Hydraulic Tail
T-70HT / T-110HT

12K hydraulic winch with cable is standard. It is positioned at the front of the 10-foot upper deck of the HT trailer.

Hydraulic tail creates a low load angle and easy approach. Rear tail section folds under when in transport position.

Easily haul several types of equipment with the HT trailer by Towmaster.

Description:

The T-70HT and T-110HT trailers by Towmaster® are designed for the rental and construction industries. They feature a perimeter frame design, a fifth-wheel gooseneck with top deck, hydraulic folding tail, and 12,000 lb. winch. LED lights, Angelim Pedra wood deck, hi-tensile fabricated steel beam frame, dual parking jacks, and driver side controls are also standard. Several configurations and options are available.

Quick Specs:

- 39" deck height (empty)
- 8'-6"deck width
- 43' to 48' overall length
- 10'-0" top deck
- Air ride suspension and air brakes
- Dump valve and pressure gauge
- 12K hydraulic winch/cable
- Hydraulic fold-under tail
- LED lights and sealed wiring

towmaster.com

800-462-4517

U.S.A. BUILT
EMPLOYEE OWNED
AMERICA'S BEST TRAILER

LIMITED LIFETIME FRAME WARRANTY

DEXTER AXLE

NATIONAL ASSOCIATION OF TRAILER MANUFACTURERS NATM APPROVED

GALVANIZING AVAILABLE

GREEN MANUFACTURING EFFICIENCIES

Photos may show optional equipment.

TOWMASTER COUNT ON IT

T-70HT / T-110HT



SPECIFICATIONS

S=Standard O=Optional

CAPACITY / DIMENSIONS	T-70HT	T-110HT		
Capacity Rating (lbs/kg)	70,000 / 31,751	110,000 / 49,895		
GVWR (lbs/kg)	87,800 / 39,825	132,800 / 60,237		
GAWR (lbs/kg)	45,400 / 20,593	68,100 / 30,890		
Approx. Weight (lbs/kg)	17,800 / 8074	22,800 / 10,342		
Overall Length (ft-in/mm)	See drawing	See drawing		
Deck Height (empty)(in/mm)	39 / 991	39 / 991		
Deck Length (ft-in/mm)	See drawing	See drawing		
Overall Width (ft-in/mm)	8-6 / 2591	8-6 / 2591		
GOOSENECK				
Gooseneck Type	Tapered	Tapered		
Top Deck Length (ft-in/mm)	10-0 / 3048	10-0 / 3048		
Swing Clearance (in/mm)	86 / 2184	86 / 2184		
Truck Height (in/mm)	49 / 1245	49 / 1245		
(2) Bolt-on Telescoping Parking Jacks	25K	25K		
12K Hydraulic Winch with cable	S	S		
FRAME / RAMPS				
Main Beam	Mfg. Cambered	Mfg. Cambered		
Crossmembers	8" I-beam	8" I-beam		
Crossmember Spacing (in/mm)	12 / 305	12 / 305		
Deck Material	Nom 2" Angelim Pedra	Nom 2" Angelim Pedra		
6' Hyd. Deck Ramp w/Tapered Gooseneck Approach	O	O		
8' Hyd. Deck Ramp w/Tapered Gooseneck Approach	O	O		
Tie Downs (4'-0" centers) (total/Side)	Stake Pockets	Stake Pockets		
Hyd. Tail (ft-in x in/mm)	12-0" / 3658	12-0" / 3658		
SUSPENSION / TIRES				
Suspension	Air	Air		
No. of Axles	2	3		
Axle Capacity (each) (lbs/kg)	22,500 / 10,206	22,500 / 10,206		
Axle Spread (in/mm)	49 / 1245	49 / 1245		
Hubs	Oil Bath	Oil Bath		
Brake Size (in/mm)	12.25x7.5 / 311x191	12.25x7.5 / 311x191		
Air Brakes (Full ABS Modulated, Park Brake All Axles)	S	S		
Hub Piloted Budd-type Wheels (in/mm)	17.5x6.75 / 445x171	17.5x6.75 / 445x171		
Wheel Bolt Pattern	8-bolt	8-bolt		
Tires / Load Range Rating	235/75R17.5 / H	235/7517.5 / H		

STANDARD EQUIPMENT

- S.A.E. King Pin
- 7-pole round electrical plug
- Weather resistant sealed modular wiring
- Grommet mounted LED lights
- Registration holder
- Rust inhibiting primer
- Durable, rust inhibiting top coat
- Die-cut UV resistant vinyl decals
- D.O.T. approved conspicuity tape
- Mud flaps
- Trailer color: Equipment black

OPTIONAL EQUIPMENT

Other options may be available. Ask your dealer or visit our web site.

- Deck ramp with tapered gooseneck
- 20K winch
- Remote control
- Self-contained hydraulic unit
- Dual hydraulic controls
- 2-speed 25K parking jacks
- Additional deck length
- Several deck traction options
- Several tie-down options
- Aluminum wheel options
- Spare tire and wheel mount
- Spare tire and wheel
- Light options
- Color options: Construction Yellow, Equipment Red, Blue, Charcoal

Download PDF

AMERICA'S BEST TRAILER

U.S.A. DESIGNED AND BUILT IN LITCHFIELD, MN

*Payload capacity is calculated by taking the GVWR and subtracting the trailer weight.

Listed GVWR, weights, and dimensions are for reference only. Manufacturer reserves the right to change models and specifications as they see fit. See our web site or your local authorized dealer for more information.

www.towmaster.com
800-462-4517

©Towmaster, Inc. 09/2013

TOWMASTER WARRANTY SUMMARY

(FULL AND CURRENT TEXT AVAILABLE AT TOWMASTER.COM)

This warranty effective on trailers manufactured after 01/01/2009.

Towmaster, Inc. (herein referred to as Towmaster) offers this extensive warranty to the original purchaser of our trailers. Warranty starts from the date of sale as long we receive the filled-out warranty card. If we do not receive the warranty card, warranty starts from the ship date of the unit.

LIMITED LIFETIME FRAME WARRANTY
Towmaster warranties the trailer main frame (frame, crossmembers, gussets, beavertail, and tongue or gooseneck) for the lifetime of the trailer to the original licensed owner to be free from defects in material and workmanship. This LIFETIME WARRANTY does not cover the hitch (ball, pintle, and gooseneck fifth wheel), tires, wheels, axles, suspension, ramps, lights, wiring, paint, wood, d-rings or any other features or options outside the scope of the trailer main frame weldment. Limited Lifetime is determined by the following criteria: The life expectancy of the trailer which is determined to be 10 years on tag trailers 50,000 lb. capacity and lower, or 5 years on king-pin trailers 50,000 lb. capacity and up, or 5 years on dump trailers, to the original owner and is non-transferrable, limited to the first accident or overloading. This warranty also does not cover:

1. Products which have been operated in excess of rated capacities
2. Misuse, abuse or accidents
3. Vehicles which have been altered, modified or repaired in any manner not authorized by our company

FIVE-YEAR WARRANTY
Each Dexter Torflex Axle carries a limited 5-YEAR WARRANTY on the suspension to be free from defect in material and workmanship. Warranty is limited to Dexter warranty policy.

TWO-YEAR LIMITED WARRANTY
Depending upon which suspension is used, it may carry a limited 2-YEAR WARRANTY by its manufacturer.

FULL ONE-YEAR WARRANTY
Towmaster warranties each new product manufactured by us to be free from defects in material and workmanship for a period of one year from date of delivery to the original purchaser except as noted below.

This one-year warranty covers the entire trailer against material and workmanship except as noted:

1. New products which have been operated in excess of rated capacities
2. Misuse, abuse or accidents
3. Items that have been pinched (air or hydraulic hose)
4. Vehicles which have been altered, modified or repaired in any manner not authorized by our company
5. Second-hand or used vehicles
6. Wear items such as tires, battery, suspension, bearings, parking jacks
7. Products that have not been properly maintained (by the dealer or consumer)

In no way shall the manufacturer be held liable for consequential damages such as rentals of substitute vehicles, loss of profits, downtime, or other commercial losses. This warranty does not cover shipment of trailer or parts to dealer or manufacturer, or return shipment of trailer or parts to dealer or consumer from factory.

TIRE / BATTERY WARRANTY
New vehicle tires are warranted by their respective manufacturers and are prorated. Battery is warranted by Towmaster and is prorated.

TOWMASTER'S OBLIGATION
Our obligation under this warranty is to repair or replace, at no cost to the end user, any warrantable part proven defective within the time limit of this warranty at our factory or at an Authorized Towmaster Dealer. Towmaster will handle disposition of warranties on all other purchased components such as axles, suspensions, wheels, batteries, parking jacks and other purchased parts in conjunction with their respective manufacturers, and under the terms of their respective warranty policies.

We must receive immediate notification of a defect and no allowance will be made for repairs without our prior consent or approval. Manufacturer does not pre-authorize any dealership for warranty work. The dealer must call our warranty service department to receive an authorization number. If the work performed is not preauthorized with a claim number, it may be deemed void. Defective parts must be returned within twenty days of receipt of replacement parts or credit may not be given for the replacement parts and an invoice may be issued.

This warranty is in lieu of all other warranties, expressed or implied by law or otherwise, and there is no warranty of merchantability or fitness of purpose. Federal regulations require motor vehicle manufacturers to maintain a record of original owners of their equipment. Our warranty registration fulfills this requirement. Please make every effort to complete the warranty card document and send it in. This warranty written under the laws of Minnesota, USA and some provisions in this warranty may be adjusted according to your local state, province or country's laws. Complete warranty details and changes can be read on our web site, www.towmaster.com.

CUSTOMER REGISTRATION REQUIRED

Federal regulations require motor vehicle manufacturers to maintain a record of original owners of their equipment. Our warranty registration fulfills this requirement. Please make every effort to complete this document and send it in.

Manufacturer reserves the right to modify, without notice, specific designs and specifications as deemed advisable on the trailers described herein without obligation in regards to trailers previously sold. The manufacturer also reserves the right to discontinue any model or models without obligation in regards to trailers previously sold. Written warranty covers each trailer. No other warranty expressed or implied is made. Tire and brake warranty through original manufacturer. All dimensions approximate.

Full warranty information available online at Towmaster.com.

© Towmaster, Inc. All Rights Reserved Printed in the U.S.A.

TRAILER MODEL INDEX

Drop-Deck		Deck-Over	
TC-9D	T-9D	TC-9	T-20
TC-10D	T-10D	TC-10	T-20LP
TC-12D	T-12D	TC-12	T-24
TC-14D	T-14D	TC-14	T-24LP
	T-16D	TC-16	T-30
T-9P	T-18D	TC-18-3	T-40
T-10P	T-20D	TC-20	T-40LP
T-12P		TC-24	T-50
			T-50LP

Hydraulic Dump	Deck-Over Tilt
T-5HD	T-20T
T-9HD	T-24T
T-10HD	T-30T
T-12HD	T-40T
T-14HD	T-50T

Drop-Deck Tilt	Rigid Gooseneck
T-3DT	T-50RG
T-5DT	T-70RG
T-9DT	
T-10DT	
T-12DT	
T-14DT	
T-16DT	

© Towmaster, Inc. All Rights Reserved Printed in the U.S.A.

GAWR, GVWR, and Payload Ratings

Towmaster determines the GAWR and GVWR ratings of its trailers using the following determinations:

GAWR

GAWR is determined by using the weakest link between the axle capacity rating and the combined wheel and tire rating.

GVWR

GVWR is determined by taking a fleet average weight, plus payload capacity rating (as determined by the manufacturer).

Payload Capacity

Payload is determined by one of the following calculations:

If your state recognizes weight transfer to the tow vehicle transfer, then calculate payload with this formula:

- GVWR - Trailer Weight = Payload Capacity

If your state ONLY recognizes GAWR or trailer capacity rating and does NOT recognize weight transfer to the tow vehicle to transfer load, then calculate using this formula:

- GAWR OR Trailer capacity - Trailer Weight = Payload Capacity

Trailer weight can fluctuate depending upon dryness of the wood deck, options installed and deck length. The best way to get the actual weight of the trailer is to scale it. Our published weights and capacities are for reference only.

Tire/Wheel Load Ratings

Tire Size	Load Range	Tire Ply	Tire/Wheel Capacity	PSI	MPH	(S)ingle (D)ual	Bolt Pattern	Approx. Tire Dia. (in.)
ST225/75Rx15	D	8	2540	65	65	S	6 on 5.5 in ø	28.3
ST225/75Rx15	D	8	2540	65	65	S	8 on 6.5 in ø	28.3
235/80Rx16	E	10	3520	80	55	S	8 on 6.5 in ø	30.8
235/85Rx16	E	10	3640	80	65	S	6 on 5.5 in ø	31.7
235/85Rx16	E	10	3640	80	65	S	8 on 6.5 in ø	31.7
235/85Rx16	G	14	3750	110	65	S	Upgrade	31.7
235/85Rx16	G	14	3200	110	65	D	Upgrade	31.7
235/75Rx17.5	H	16	5675	125	62	D	8 on 275mm ø	30.9
215/75Rx17.5	H	16	4805	125	62	S	8 on 6.5 in ø	29.7
215/75Rx17.5	H	16	4540	125	62	D	8 on 275mm ø	29.7
235/75Rx22.5	H	16	5070	120	62	D	10 on 285.75mm ø	35.9
255/70Rx22.5	H	16	5070	120	62	D	10 on 285.75mm ø	36.1
275/75Rx22.5	H	16	6395	125	75	D	10 on 285.75mm ø	38.2

© Towmaster, Inc. All Rights Reserved Printed in the U.S.A.

Gooseneck Swing Clearance

(A-Frame / Rigid Gooseneck / Hydraulic Tail)

These are the standard swing clearance dimensions on our goosenecks. Please specify swing clearance and truck height when ordering if you require a different clearance dimension.





Detachable Gooseneck Swing Clearance

Use the chart below to determine the proper gooseneck length to fit your tractor. Detachable gooseneck trailers come in a variety of gooseneck length options. These dimensions will help determine the swing clearance needed. If you have any questions, please call the factory for clarification.

3-AXLE TRACTOR





DIMENSION	DESCRIPTION
A=	Wheel Base
B=	Drive Axle Spacing
C=	Center of Forward Drive Axle, -5" to outer edge of rear tire or mud flap

4 OR MORE AXLE TRACTOR





DIMENSION	DESCRIPTION
A=	Wheel Base
B=	Drive Axle Spacing
C=	Center of Forward Drive Axle, +8" to outer edge of rear tire or mud flap
D=	Other Axle Spacing
	Number of Axles
Y N	Lift Axle

© Towmaster, Inc. All Rights Reserved Printed in the U.S.A.



This drawing and its contents are the exclusive property of Towmaster, Inc. and shall not be disclosed to others except as authorized through written consent from Towmaster, Inc.

QUALIFICATION AND CERTIFICATION FORM

EXHIBIT "D" VENDORS QUALIFICATION

PURPOSE

This exhibit shall serve as a requirement to enable the evaluation team to assess the qualifications of Vendors under consideration for final award.

The information may or may not be a determining factor in award.

SECTION 4.0

CONTRACT NUMBER: 111714, New or Used Hydraulic Tail Equipment Trailer

The applicant submitting this Proposal warrants the following:

4.1 Name, Address, and Telephone Number of Principal Vendor:

FULL CIRCLE ENTERPRISE, INC. DBA DITCH WITCH OF ARIZONA
4028 S. 36th ST.
PHOENIX, AZ 85040 / 602-437-0351

4.2 Has Vendor (under its present or any previous name) ever failed to complete a contract? _____ Yes ✓ No. If "Yes", give details including the date, the contracting agency, and the reason Vendor failed to perform in the narrative part of this Contract.

4.3 Has Vendor (under its present or any previous name) ever been disbarred or prohibited from competing for a contract? _____ Yes ✓ No. If "Yes", give details, including the date, the contracting agency, the reasons for the Vendors disqualifications, and whether this disqualification remains in effect in the narrative part of this Contract.

4.4 Has a contracting agency ever terminated a contract for cause with Vendor (under the Vendors present or any previous name)? _____ Yes ✓ No. If "Yes", give details including the date, the contracting agency, and the reasons Vendor was terminated in the narrative part of this Contract.

Qualification & Certification Form continued...

4.5 Vendor must also provide at least the following information:

a. A Cost Proposal shall be submitted on the Price Sheet, attached hereon and made a full part of this contract by this reference.

b. Gila County reserves the right to request additional information.

Patrick T. Gallagher
Signature of Authorized Representative

PATRICK T. GALLAGHER
Printed Name

SALES REPRESENTATIVE
Title

REFERENCE LIST

These references are required to enable the evaluation team to assess the qualifications of the Vendors under consideration for final award.

The information may or may not be a determining factor in award.

References

List at least four (4) customers for whom you have provided service of a similar scope as this Request for Proposals during the past twelve months, in or as close to Gila county as possible.

CUSTOMER NAME AND ADDRESS	TELEPHONE	PRIMARY CONTACT
1. SAN CARLOS EQUIPMENT RENTALS	(928) 961-3811	BOB MOUNCE
2. NATIVE ENVIRONMENTAL	(602) 505-7772	JON RIGGS
3. D.J. COMPANIES	(928) 425-0602	DAN JONOVICH
4. BLUE LINE RENTALS	(520) 888-4055	ERNIE PHILLIPS

Patrick T. Gallagher
Signature of Authorized Person to Sign

PATRICK T. GALLAGHER
Printed Name

SALES REPRESENTATIVE
Title

LEGAL ARIZONA WORKERS ACT COMPLIANCE

Vendor hereby warrants that it will at all times during the term of this Contract comply with all federal immigration laws applicable to Vendor's employment of its employees, and with the requirements of A.R.S. § 23-214 (A) (together the "State and Federal Immigration Laws"). Vendor shall further ensure that each subcontractor who performs any work for Vendor under this contract likewise complies with the State and Federal Immigration Laws.

County shall have the right at any time to inspect the books and records of Vendor and any subcontractor in order to verify such party's compliance with the State and Federal Immigration Laws.

Any breach of Vendor's or any subcontractor's warranty of compliance with the State and Federal Immigration Laws, or of any other provision of this section, shall be deemed to be a material breach of this Contract subjecting Vendor to penalties up to and including suspension or termination of this Contract. If the breach is by a subcontractor, and the subcontract is suspended or terminated as a result, Vendor shall be required to take such steps as may be necessary to either self-perform the services that would have been provided under the subcontract or retain a replacement subcontractor, as soon as possible so as not to delay project completion.

Vendor shall advise each subcontractor of County's rights, and the subcontractor's obligations, under this Article by including a provision in each subcontract substantially in the following form:
"Subcontractor hereby warrants that it will at all times during the term of this contract comply with all federal immigration laws applicable to Subcontractor's employees, and with the requirements of A.R.S. § 23-214 (A). Subcontractor further agrees that County may inspect the Subcontractor's books and records to insure that Subcontractor is in compliance with these requirements. Any breach of this paragraph by Subcontractor will be deemed to be a material breach of this contract subjecting Subcontractor to penalties up to and including suspension or termination of this contract."

Any additional costs attributable directly or indirectly to remedial action under this Article shall be the responsibility of Vendor. In the event that remedial action under this Article results in delay to one or more tasks on the critical path of Vendor's approved construction or critical milestones schedule, such period of delay shall be deemed excusable delay for which Vendor shall be entitled to an extension of time, but not costs.

Patrick T. Gallagher
Signature of Authorized Representative

PATRICK T. GALLAGHER
Printed Name

SALES REPRESENTATIVE
Title

REQUEST FOR PROPOSALS NO. 111714
NEW OR USED HYDRAULIC TAIL EQUIPMENT TRAILER

AFFIDAVIT BY VENDOR
CERTIFYING THAT THERE WAS NO COLLUSION
IN BIDDING FOR CONTRACT

STATE OF ARIZONA)
)ss
COUNTY OF:)

PATRICK T. GALLAGHER
(Name of Individual) being first duly sworn, deposes and says:

That he is SALES REPRESENTAIVE
(Title)

of FULL CIRCLE ENTERPRISE, INC. DBA DITCH WITCH OF ARIZONA
and
(Name of Business)

That he is bidding on **Gila County Request for Proposals No. 111714 – One New or Used Hydraulic Tail Trailer** and,

That neither he nor anyone associated with the said Full Circle Enterprise, Inc. DBA Ditch Witch of Arizona
(Name of Business)

has, directly or indirectly entered into any agreement, participated in any collusion or otherwise taken any action in restraint of free competitive bidding in connection with the above mentioned project.

Ditch Witch of Arizona
Name of Business

PATRICK T. GALLAGHER / Patrick T. Gallagher
By

SALES REPRESENTATIVE
Title

OFFICIAL SEAL
SARAH CARRASCO
Notary Public - Arizona
MARICOPA COUNTY
My Commission Expires
MARCH 24, 2018

Subscribed and sworn to before me this 5 **day of** Febuary**, 2015.**

Notary Public

My Commission expires:
3/24/2018

REQUEST FOR PROPOSALS NO. 111714
NEW OR USED HYDRAULIC TAIL EQUIPMENT TRAILER

PRICE SHEET

Complete and Return this form(s) for the total price being proposed. Attach any pertinent cost breakdowns, sub-totals of component cost, etc. to this proposal-pricing page.

Vendor Name: Tawmaster

Trailer Make & Model: T-70 HT

SPECIFICATIONS *New or Used Hydraulic Tail Equipment Trailer*	Meets Specifications Yes	No
70,000 lb. capacity	X	
102" wide	X	
48' long	X	
12" cross member spacing	X	
Paint 2-part polyurethane	X	
50,000 lb. im 6' 50,000 in 10'		X
10' Upper deck	X	
16" King pin setting	X	
49" 5th Wheel ht.	X	
1 3/8" apitong raised decking on main deck & hydraulic ramps	X	
Single drop deck	X	
Stake pockets every 48"	X	
"D" rings recessed every 48" GN: 2 DECK: 7 TAIL: 2	X	
Internal key slots every 48" GN: 2 DECK: 7 TAIL: 2	X	
20,000 lb. hydraulic winch	X	
Wireless remote winch control	X	
Winch mounted above king pin with winch guard	X	
65' of cable 120 ft	X	
24 hp Honda (or equivalent) hydraulic power unit mounted below top deck (mounted in slope at upper deck) Honda does not make a 24 only 30hp.	X	
¼" floor plate on upper deck	X	

No mounted on top see diagram

76" of star traction material over steel on the tail and fold-under	X	
11' tail with 46" folder under 12ft tail 8ft tail with 4ft folder	X	
Air ride raise and lower kit	X	
Ht 2500S, 28 suspension (or equivalent) Rockwell RAR 240 25K	X	
Wabco 492m ABS (or equivalent) 4S/2M	X	
Spare wheel & tire	X	
2 speed landing gear, crank on curb side	X	
8' hydraulic recessed lower to upper deck ramp	X	
Added pair of mid turn lights mounted ½ & 2/3 the length markers	X	
LED lighting	X	
235/75R x 17.5 tires & steel disk wheels (or equivalent)	X	
12 ¼" x 7 ½" brakes	X	
49" axle spacing	X	
2 – 22,500 lb. axles 25t	X	
¼" floor plate over wheels	X	
Red & white conspicuity markers	X	
Must comply with all applicable DOT & safety standards	X	

COST OF *NEW* HYDRAULIC TAIL EQUIPMENT TRAILER	$ 73,695.45	
OTHER RELATED COSTS 12% federal excise tax	$ 8843.45	(if applic)
TAXES 8.3%	$ 6,116.72	(if applic.)
TOTAL COST OF NEW HYDRAULIC TAIL EQUIMENT TRAILER	$ 88,655.62	
COST OF *USED* HYDRAULIC TAIL EQUIPMENT TRAILER (2012 or Newer)	$ n/a .	
OTHER RELATED COSTS	$ n/a .	
TAXES	$ n/a .	
TOTAL COST OF USED HYDRAULIC TAIL EQUIMENT TRAILER	$ n/a .	

Estimated Date of Delivery: 90 days AFTER BID AWARD

Delivery Location: Gila County Public Works, 1000 Besich Blvd., Globe, AZ, or other site which may be designated.

REQUEST FOR PROPOSALS NO. 111714
NEW OR USED HYDRAULIC TAIL EQUIPMENT TRAILER

VENDOR CHECKLIST

NOTICE IS HEREBY GIVEN that all Bid Documents shall be completed and/or executed and submitted with this RFP. If Vendor fails to complete and/or execute any portion of the Bid Documents, this RFP will be determined to be "non-responsive" and rejected.

CHECKLIST:

REQUIRED DOCUMENT	COMPLETED / EXECUTED
QUALIFICATION & CERTIFICATION FORM	✓
RERERENCE LIST	✓
LEGAL AZ WORKERS ACT COMPLIANCE	✓
NON COLLUSION AFFIDAVIT	✓
PRICE SHEET	✓
OFFER PAGE	✓

ACKNOWLEDGMENT OF RECEIPT OF ADDENDA:

	#1	#2	#3	#4	#5
Initials	PTG				
Date	2-5-15				

Signed and dated this 5th day of FEBRUARY, 2015

FULL CIRCLE ENTERPRISE, INC. DBA DITCH WITCH OF ARIZONA
VENDOR:

PATRICK T. GALLAGHER / Patrick T. Gallagher
BY:

Each proposal shall be sealed in an envelope addressed to the Public Works Division, Gila County and bearing the following statement on the outside of the envelope: **Bid No. 111714, New Hydraulic Tail Equipment Trailer.** All proposals shall be filed with the Gila County Finance Department at **1400 E. Ash St., Globe, AZ** on or before **3:00 PM, Wednesday, February 11, 2015.**

REQUEST FOR PROPOSALS NO. 111714
NEW OR USED HYDRAULIC TAIL EQUIPMENT TRAILER

OFFER PAGE

TO GILA COUNTY:

The undersigned hereby offers and agrees to furnish the equipment, material or service in compliance with all terms and conditions, instruction, specifications, and any amendments contained in this Request for Proposal document.

Signature also certifies the Vendors bid proposal is genuine, and is not in any way collusive or a sham; that the bid proposal is not made with the intent to restrict or prohibit competition; that the Vendor submitting the proposal has not revealed the contents of the proposal to, or in any way colluded with, any other Vendor which may compete for the contract; and that no other Vendor which may compete for the contract has revealed the contents of a proposal to, or in any way colluded with, the Vendor submitting this proposal.

CONTRACT NO.: 111714 New Hydraulic Tail Equipment Trailer

Vendor Submitting Proposal:

Full Circle Enterprise, Inc DBA Ditch Witch of Arizona
Company Name

4028 S. 36th St.
Address

Phoenix, AZ 85040
City State Zip

For clarification of this offer, contact:

Name: Patrick T. Gallagher

Phone No.: 602-316-1446

Fax No.: 602-437-1544

Email: patrick@ditchwitchaz.com

Patrick T. Gallagher
Signature of Authorized Representative

Patrick T. Gallagher
Printed Name

Sales Representative
Title

Proposal must be signed by a duly authorized officer(s) eligible to sign contract documents for the Vendor.

Offer Page continued...

The Vendor Full Circle Enterprise, Inc. DBA Ditch Witch of Arizona is now bound to provide the materials or services listed in RFP No.: 111714, including all terms and conditions, specifications, amendments, etc. and the Vendor's Offer as accepted by County/public entity.

The Vendor has been cautioned not to commence any billable work or to provide any material or service under this Contract until Vendor receives this signed sheet, or written notice to proceed.

GILA COUNTY BOARD OF SUPERVISORS

Awarded this _____ day of _____, 2015

_____
Michael A. Pastor, Chairman of the Board

ATTEST

_____
Marian Sheppard, Clerk of the Board

APPROVED AS TO FORM

_____
Bryan B. Chambers, Deputy County Attorney/Civil Bureau Chief
for Bradley D. Beauchamp, County Attorney